

Art.-Nr.: 10.03.01.00354


**Technical data**

Attribute	Value
Rated power at 60 Hz	1.30 kW
Voltage at 60 Hz	YY230 / Y460 V ± 10 %
Weight	42.000 kg
Suction rate (60 Hz)	48.000 m ³ /h
Version	IE3:US/CAN
Voltage 60 Hz	S067
Approval	UL/CSA
Current type	Three phase A.C.
with	Filter

EVE-TR 40 AC3 IE3-TYP2 F

The vacuum pump EVE-TR comes ready to connect.

Available spare parts: Filter insert, wearing part set
 Available accessories: Vacuum limiter valve



Design data EVE-TR 40 AC3 IE3-TYP2 F

Design data


Attribute	Value
Length L2	131.00 mm
Length L	561.00 mm
Width B2	50.00 mm
Width B	270.00 mm
Height H1	421.00 mm
Height H2	70.00 mm
Height H	293.00 mm
Internal diameter d	7.00 mm
Thread G2	G1-1/4"-F
Hole spacing Y1	190.0 mm

Art.-Nr.: 10.03.01.00354

**Technical data**

Attribute	Value
Protection type IP	IP 55
Rated power at 60 Hz	1.30 kW
Voltage at 60 Hz	YY230 / Y460 V ± 10 %
Weight	42.000 kg
Suction rate (60 Hz)	48.000 m ³ /h
Version	IE3:US/CAN
Product family	EVE-TR
Supply voltage	AC3
Current type	Three phase A.C.

Noise level according to DIN EN ISO 3744 (uncertainty factor KpA = 3 dB(A)), interval of 1 m, at medium load, both connection sides piped

**Performance data**

Suction rate at various degrees of evacuation

**Suction rate at various degrees of evacuation**

Typ	0	200	400	600	800	850
EVE-TR 40 50 Hz	40	30	20.7	11	1.5	0.2
EVE-TR 40 60 Hz	48	36	25	14.5	2.1	0.5

**Further documentation**CAD data and other documents relating to the article can be found at: www.schmalz.com/10.03.01.00354

Vacuum pump

EVE-TR 40 AC3 IE3-TYP2 F



Art.-Nr.: 10.03.01.00354



Ordering Data Accessories 10.03.01.00354

Typ		Item number
Silencer box	SBB-EVE-24V-DC-ST-VZ-LUE	10.04.04.00367



WWW.SCHMALZ.COM/10.03.01.00354